DRAWING	SCHEDULE	WALL LEG	SEND	GENERAL NOTES:
Ø1	NOTES & LEGEND	(11111111111111111111111111111111111111	EXISTING BRICK WALL	CONFIRM ALL DIMENSION, LEVELS AND DETAILS (
Ø2	FINISHES SCHEDULE	2000 C 2000	EXISTING PRE CAST CONCRETE WALL	ALL CONTRACTOR IS TO COMPLY WITH THE FIT OF GUIDELINES, ALL WORK APPLICABLE TO DESIGN A CONSTRUCTION MUST BE IN ACCORDANCE WITH THE DOCUMENT, AND WHERE NECESSARY, FURTHER
Ø3	SITE PLAN		NEW GLAZING	DOCUMENT, AND WHERE NECESSARY, FURTHER INSTRUCTION OR CLARIFICATION SHOULD BE SOUTH FROM THE TENANCY COORDINATOR.
Ø4	DEMOLITION PLAN		PARTITION WALL	SHOP FRONT & ENTRY
Ø5	FLOOR PLAN		COOL ROOM PANEL	ALL FIXINGS ARE GENERALLY CONCEALED OR OBSCURED WITHIN RECESSED FLANGES OR NEGAT
Ø6	FLOOR PLAN WITH FURNITURE LAYOUT	ELECTRIC	CAL LEGEND	ALL FIXINGS ARE GENERALLY CONCEALED OR OBSCURED WITHIN RECESSED FLANGES OR NEGAT DETAILS, WITH WHICH THEY ARE COLOR MATCHED ALL EXPOSED EDGES PRONE TO DAMAGE HAVE IN EDGES PROTECTION FOR THE FULL HEIGHT/LENG OF THE AFFECTED EDGE.
Ø7	CEILING & LIGHTING		DISTRIBUTION BOARD	OF THE AFFECTED EDGE. SHOPFRONT & SIGNAGE
Ø8	ELECTRICAL	LD	COMMS DISTRIBUTION	ALL SHOPFRONT LIGHTING & ILLUMINATED SIGNA
Ø9	ELEVATON	EXIT	EXIT SIGN	TO BE SEPARATELY SWITCHED USING A TIMER, AND PROGRAMMED TO CENTRE TRADING HOURS. ELECTRICAL & LIGHTING
10	ELEVATON	Ø	DATA POINT	ALL SERVICES CABLING & CONDUITS TO BE FULL CONCEALED AND INTEGRATED INTO JOINERY/FIXT
11	ELEVATON	∇	TELEPHONE POINT	OR CONCEALED BEHIND WALL SURFACES. ALL LIGHTING/ILLUMINATORS TO BE USED LED
12	ELEVATON	\triangle	SINGLE GPO	UNLESS NOTED OTHERWISE. CABINETWORK, DISPLAY & MERCHANDI
13	ELEVATON	K	DOUBLE GPO	<u>EQUIPMENTS</u> <u>ALL CARCASS IN WE</u> T AREA AND SURROUNDING A
14	ELEVATON			BE USED HMR BOARD. ALL FIXINGS ARE CONCEALED (UNLESS FEATURED INCLUDING FLOOR AND WALL FIXINGS
		(∑) EM	EMERGENCY LIGHT	ALL FIXINGS ARE CONCEALED (UNLESS FEATURED INCLUDING FLOOR AND WALL FIXINGS. ALL GLASS AND MIRRORS EXPOSED EDGES ARE TO POLISHED AND HAVE RADIUSED CORNERS. LIGHTING TO COUNTER FRONT AND SKIRTINGS IS CONCEALED AND MADE SAFE FROM PUBLIC ACCES
			20W RECCES PANEL LIGHT	
			LED DOWNLIGHT 12W	SERVICES SERVICES INDICATED ON DRAWING ARE INDICATIV SHOWN QUANTITY AND APPROXIMATE LOCATION ON
			PENDANT LIGHT 1	(NOT ACTUAL LOCATION), CONTRACTOR TO CONFIRM ALL SERVICES ON SITE.
		+	PENDANT LIGHT 2	(NOT ACTUAL LOCATION), CONTRACTOR TO CONFIRMALL SERVICES ON SITE. THE SWITCH BOARD AND ALL SERVICE CONDUITS CONCEALED FROM PUBLIC VIEW.
		<u> </u>	PENDANT LIGHT 3	POWER OUTLETS ARE TO BE FLUSH FITTING AND COLOR COORDINATED WHERE VISIBLE TO THE PUBLISH FLOOR CHASING AND SLAB PENETRATIONS AND BE CERTIFIED BY STRUCTURAL ENGINEER.
		SERVICES	LEGEND	BE CERTIFIED BY STRUCTURAL ENGINEER. COOL ROOM & FREEZER ROOM
			AIRCOND. DIFFUSER	COOLROOM AND FREEZER ROOM TO COMPLY WITH
			AIRCOND.RETURN AIR	OF THE BCA 2012. SWITCH TO BE LOCATED ADJACENT TO THE ENTE DOOR. BROWLES INDICATED LAMB OUTSIDE THE SHAMPER
		AP	ACCESS PANEL	PROVIDE INDICATOR LAMP OUTSIDE THE CHAMBER ILLUMINATES WHEN THE INTERIOR LIGHT ARE SW ON.
				ALARM TO BE LOCATED OUTSIDE BUT CAN BE CONTROLLED ONLY FROM WITHIN THE COOLROOM

L FIXINGS ARE GENERALLY CONCEALED OR BSCURED WITHIN RECESSED FLANGES OR NEGATIVE ETAILS, WITH WHICH THEY ARE COLOR MATCHED. LL EXPOSED EDGES PRONE TO DAMAGE HAVE INLAID DGES PROTECTION FOR THE FULL HEIGHT/LENGTH THE AFFECTED EDGE.

L SERVICES CABLING & CONDUITS TO BE FULLY DNCEALED AND INTEGRATED INTO JOINERY/FIXTURES R CONCEALED BEHIND WALL SURFACES. LL LIGHTING/ILLUMINATORS TO BE USED LED NLESS NOTED OTHERWISE.

ABINETWORK, DISPLAY & MERCHANDISING

L CARCASS IN WET AREA AND SURROUNDING ARE TO USED HMR BOARD. LL FIXINGS ARE CONCEALED (UNLESS FEATURED), CLUDING FLOOR AND WALL FIXINGS. LL GLASS AND MIRRORS EXPOSED EDGES ARE TO BE DLISHED AND HAVE RADIUSED CORNERS IGHTING TO COUNTER FRONT AND SKIRTINGS IS ONCEALED AND MADE SAFE FROM PUBLIC ACCESS.

ERVICES INDICATED ON DRAWING ARE INDICATIVE HOWN QUANTITY AND APPROXIMATE LOCATION ONLY OT ACTUAL LOCATION), CONTRACTOR TO CONFIRM L SERVICES ON SITE. HE SWITCH BOARD AND ALL SERVICE CONDUITS ARE OWER OUTLETS ARE TO BE FLUSH FITTING AND OLOR COORDINATED WHERE VISIBLE TO THE PUBLIC. LL FLOOR CHASING AND SLAB PENETRATIONS ARE TO CERTIFIED BY STRUCTURAL ENGINEER.

DOL ROOM & FREEZER ROOM OOLROOM AND FREEZER ROOM TO COMPLY WITH G1.2 THE BCA 2012. VITCH TO BE LOCATED ADJACENT TO THE ENTRANCE ROVIDE INDICATOR LAMP OUTSIDE THE CHAMBER WHICH LUMINATES WHEN THE INTERIOR LIGHT ARE SWITCHED ARM TO BE LOCATED OUTSIDE BUT CAN BE

AMENI	DED PLAN
-------	----------

Town of Victoria Park Received: 04/10/23 Supersedes plan dated: 15/02/23


С	REVISED FOR COUNCIL APPROVAL	COUNCIL	12-06-23
В	ISSUE FOR COUNCIL APPROVAL	COUNCIL	15-02-23
Α	PREL I MI NARY	CLIENT	07-02-23
E۷	DESCRIPTION	ISSUE TO	DATE

23	PROPOSED RESTAURANT	L
23	960 ALBANY HWY	
	EAST VICTORIA PARK	

PROJECT TITLE:

FLOOR PLAN	1:100	15- 0 2-23
,		SHEET SIZE A3
		SHEET NO.

FINISHES SCHEDULE



F15 PAINT
NAME : BROWN LEAF
FINISH : LOWSHEEN
CODE :
SUPPLIER : DULUX
CONTACT ;

F16 PAINT
NAME : BLACK
FINISH : SEMI GLOSS EMANEL
CODE :
SUPPLIER : DULUX
CONTACT :

F17 PAINT

NAME: WHITE

FINISH: SEMI GLOSS ENAMAL


CODE:

SUPPLIER: DULUX

CONTACT:

AMENDED PLAN
Town of Victoria Park Received: 04/10/23
Supersedes plan dated: 15/02/23

				PROJECT TITLE:	FLOOR PLAN	1:100	15-02-23
С	REVISED FOR COUNCIL APPROVAL	COUNCIL	12-06-23	PROPOSED RESTAURANT	7 2001(1 27/11)		SHEET SIZE
В	ISSUE FOR COUNCIL APPROVAL	COUNCIL					A3
Α	PRELIMINARY	CLIENT				-	SHEET NO.
RE	V DESCRIPTION	ISSUE TO	DATE			•	02






AMENDED PLAN

Town of Victoria Park Received: 04/10/23 Supersedes plan dated: 15/02/23

				PROJECT TITLE:	FLOOR PLAN	1:200	15-Ø2-23
С	REVISED FOR COUNCIL APPROVAL	COUNCIL	15-02-23	PROPOSED RESTAURANT	T EGGITT ET III		SHEET SIZE:
В	ISSUE FOR COUNCIL APPROVAL	COUNCIL	15-02-23	960 ALBANY HWY			A3
А	PRELIMINARY			EAST VICTORIA PARK			SHEET ND:
RE	DESCRIPTION	ISSUE TO	DATE			1	W3






WALL LEGENO

EXISTING BRICK WALL EXISTING WINDOWS ----- WALL TO BE DEMOLISHED

AMENDED PLAN Town of Victoria Park Received: 04/10/23 Supersedes plan dated: 15/02/23

	DEVISED FOR COUNCIL APPROVAL	COLINICIA			DEMOLITION PLAN	1:100	15-02-23
В	REVISED FOR COUNCIL APPROVAL ISSUE FOR COUNCIL APPROVAL	COUNCIL	15-02-23	PROPOSED RESTAURANT 960 ALBANY HWY			SHEET SIZE A3
Α	PREL IMINARY		07-02-23				SHEET NO.
REV	DESCRIPTION	ISSUE TO	DATE				<u> </u>



COUNCIL 12-06-23

COUNCIL 15-02-23

ISSUE TO DATE

07-02-23

CLIENT

PROPOSED RESTAURANT 960 ALBANY HWY

EAST VICTORIA PARK

REVISED FOR COUNCIL APPROVAL

B ISSUE FOR COUNCIL APPROVAL

A PRELIMINARY

REV DESCRIPTION


FLOOR PLAN

1:100

15-02-23

Α3

05



COUNCIL 12-06-23

COUNCIL |15-02-23

ISSUE TO DATE

07-02-23

CLIENT

PROPOSED RESTAURANT

960 ALBANY HWY

EAST VICTORIA PARK

REVISED FOR COUNCIL APPROVAL

B ISSUE FOR COUNCIL APPROVAL

A PRELIMINARY

REV DESCRIPTION


FLOOR PLAN

1:100

15-02-23

Α3


Ø6



	LEGENDS				
Φ	PENDANT LIGHT 1				
0	20W LED RECESS PANEL LIGHT				
0	LED DOWNLIGHT 12W				
一一	LED SENSOR LIGHT 20W				
SB	SUB BOARD				
EXIT	EXIT SIGN				
\blacktriangledown	DATA POINT				
R	DOUBLE GPO				
<u> </u>	DOUBLE GPO				
(≥ EM	EMERGENCY LIGHT				
0	3PHASE ISOLATOR				
	AIRCOND. DIFFUSER				
	AIRCOND. RETURN AIR				
\otimes	EXHAUST FAN				

AMENDED PLAN Town of Victoria Park Received: 04/10/23 Supersedes plan dated: 15/02/23

					PROJECT TITLE:	CEILING & LIGHTING	1:100	15-Ø2-23
	С	REVISED FOR COUNCIL APPROVAL	COUNCIL	12-06-23	PROPOSED RESTAURANT	OLIENTO & LIGITIMO		SHEET SIZE:
	В	ISSUE FOR COUNCIL APPROVAL	COUNCIL		960 ALBANY HWY			A3
	Α	PREL IMINARY	CLIENT		EAST VICTORIA PARK			SHEET NO:
F	REV	DESCRIPTION	ISSUE TO	DATE			İ	W /



	LEGENDS			
+	PENDANT LIGHT 1			
0	20W LED RECESS PANEL LIGHT			
0	LED DOWNLIGHT 12W			
58	SUB BOARD			
EXIT	EXIT SIGN			
₩	DATA POINT			
R	DOUBLE GPO			
4	DOUBLE GPO			
(♣) EM	EMERGENCY LIGHT			
\Q	3PHASE [SOLATOR			
	AIRCOND. DIFFUSER			
	AIRCOND. RETURN AIR			
\otimes	EXHAUST FAN			

AMENDED PLAN

Town of Victoria Park Received: 04/10/23

Supersedes plan dated: 15/02/23

				PROJECT TITLE:	ELECTRICAL	1:100	15-02-23
С	REVISED FOR COUNCIL APPROVAL	COUNCIL	12-06-23	PROPOSED RESTAURANT	ELECTIONE .		SHEET SIZE
В	ISSUE FOR COUNCIL APPROVAL	COUNCIL	15-02-23	960 ALBANY HWY			A3
Α	PREL [M] NARY			EAST VICTORIA PARK			SHEET NO.
REV	DESCRIPTION DESCRIPTION	ISSUE TO				1	N8




SCALE 1 : 100

Town of Victoria Park Received: 04/10/23

Supersedes plan dated: 15/02/23

					PROJECT TITLE:	ELEVATION	1:100	15-02-23
	С	REVISED FOR COUNCIL APPROVAL	COUNCIL	12-06-23	PROPOSED RESTAURANT			SHEET SIZE:
Γ	В	ISSUE FOR COUNCIL APPROVAL	COUNCIL		960 ALBANY HWY			A3
	Α	PRELIMINARY	CLIENT		EAST VICTORIA PARK			SHEET NO:
	REV	DESCRIPTION	ISSUE TO	DATE			ı	49







E4 ELEVATION 4

AMENDED PLAN

Town of Victoria Park Received: 04/10/23
Supersedes plan dated: 15/02/23

				PROJECT TITLE:	BRAYING TITLE ELEVATION	1:100	15-02-23
С	REVISED FOR COUNCIL APPROVAL	COUNCIL	12-06-23	PROPOSED RESTAURANT	ZZZY/((O))	MOAUM DV.	SHEET SIZE
В	ISSUE FOR COUNCIL APPROVAL	COUNCIL	15-02-23	960 ALBANY HWY			A3
Α	PRELIMINARY	CLIENT					SHEET NO.
REV	DESCRIPTION DESCRIPTION	ISSUE TO	DATE				10










HEBE INSPIRATION

CORREA ALBA

COPROSMA SUNSET

ELVINS FLOWERING PLUM



AMENDED PLAN Town of Victoria Park Received: 04/10/23

Supersedes plan dated: 15/02/23

				PROJECT TITLE:	LANDSCAPE PLAN	1:200	15-02-23
- (REVISED FOR COUNCIL APPROVAL	COUNCIL	15-02-23	PROPOSED RESTAURANT			SHEET SIZE
E	ISSUE FOR COUNCIL APPROVAL	COUNCIL	15-02-23	960 ALBANY HWY			A3
- 6	PREL [M]NARY	CLIENT	07-02-23				SHEET NO:
RE	V DESCRIPTION	ISSUE TO	DATE				ID